


Plugins

BizDock is associated with a large set of plugins. The plugins implements various data integration patterns to map the BizDock data model with almost each and every system which may be used in your product life cycle management.

Plugin administration (Integration)

→ To get access the Plugin administration, the permission `ADMIN_PROVISIONING_MANAGER_PERMISSION` is required.

The administration of BizDock Plugins is available via the “Admin” menu. It orchestrates, synchronises and manages all the interfaces between third party applications - open source (SVN, Jenkins, Redmine...) or commercial (Jira, Jama Contour...) - and BizDock Master Data.



Activate a Plugin

- Go to the Available plugins (under the Plugins menu) page where you can see the list of all available Plugins,

Integration / Available plugins

- Nexus (by DevDock)**: Nexus is a software asset repository management software. [Details] [Activate]
- Redmine**: The Redmine plugin deal with the synchronization of Redmine with BizDock. [Details] [Activate]
- Atlassian Jira**: JIRA is a proprietary issue tracking product, developed by Atlassian. It provides bug tracking and issue tracking functions. [Details] [Activate]
- BizDock URL integration**: Light integration plugin based on simple URL. [Details]
- SVN (by DevDock)**: Subversion is a source code and configuration management software. [Details]
- BizDock Event handler**: The event handler plugin is a BizDock plugin which trigger some actions (mail, web service...) when a BizDock. [Details]
- BizDock Employee loader**: This plugin provides the ability to load BizDock employees from a CSV file with various options. [Details] [Activate]
- BizDock Scheduled script**: A script to be scheduled at a configurable frequency. [Details]

Some plugin couldn't be directly activated from BizDock: they don't have the "Activate" button.

- Click on the "Activate" button for the Plugin you want to activate,

Integration / Create new plugin instance

You are about to create an instance of plugin.
Please provide a name for the instance (this allows to differenciate multiple instances of the same plugin).

Plugin name: Redmine

Instance name *

Redmine

[Create] [Cancel]

- Choose a name for the Plugin (as you may create multiple instances of the same Plugin),
- Click on the "Register" button: the Plugin is now activated. You now need to configure and start it.

The plugin instance Redmine has been successfully registered.

Integration / Active plugins

The table below contains the plugins which are currently registered within the system.

ID	Instance name	Plugin name	Version	Status
1	Redmine ST	Redmine (by DevDock)	1.0	STARTED
6	BizDock Standard Widget Library	BizDock Standard Widget Library	1.0	STARTED
8	Redmine	Redmine	1.0	STOPPED



Plugin configuration and management

Select the Plugin in the Active plugins' page (under the Plugins menu) you want to configure or

manage.

1. Plugin description,
2. Current status of the Plugin. The possible values are: STARTED, STOPPED, STARTING, STOPPING,
3. A link to the Plugin definition page
4. Start / Stop buttons: Plugin are started and stopped asynchronously.
5. Plugin admin commands: each Plugin could have some specific commands that are available here if any.
6. Unregister the Plugin: delete this Plugin instance and all related configurations.
7. Plugin configuration: each Plugin could have one or many configuration files that come with some defaults value (it's possible to reset these values in case a modified configuration is not valid). They can be:
 - o Properties file: key/value pair
 - o JavaScript-based configuration: used for most advanced configuration

The Plugin configuration can be exported/imported to/from an XML format. Simply use:

-  to export the configuration
-  to import it after having selected the configuration file

All the Plugin-specific admin commands and configuration are explained in the respective support page of each Plugin.

Some system plugins can not be removed/started/stopped. In this case, an "Auto-register" lable is display.

Plugin Logs

Each Plugin provides an audit Log of all the events. Events level can be:

- INFO: provide information about normal functioning of the Plugin,
- ERROR: error during the execution of the Plugin. By default, only these events are displayed in the logs table.

Time	Error	Event type	Message
2016-02-02 10:32:41.0	ERROR	OBJECT_CREATED	Failure of the redmine plugin Error trace: User account not found for id = 18
2016-02-02 10:19:43.0	ERROR	OBJECT_STATUS_CHANGED	Failure of the redmine plugin Error trace: No redmine link found in the database for the internal id = 12
2016-02-01 12:06:59.0	INFO	START	The plugin 1 started successfully
2016-02-01 11:50:27.0	INFO	STOP	The plugin 1 has been stopped
2016-02-01 11:45:07.0	INFO	START	The plugin 1 started successfully
2016-02-01 11:40:11.0	INFO	STOP	The plugin 1 has been stopped

1. Filter and columns selection: allow to add filter and select the columns visible in the table.
2. Refresh: reload the list of events manually
3. Purge Logs: simply empty the list of logs

From: <https://help-online.bizdock.io/> - **BizDock**

Permanent link: <https://help-online.bizdock.io/doku.php?id=admin-guide:plugins>

Last update: **2016/02/04 08:46**

